Chinastandards.org

SN

INDUSTRY STANDARD OF THE PEOPLE'S REPUBLIC OF CHINA

SN/T 3285-2012

Detection and identification of Caucalis latifolia L.

宽叶高加利检疫鉴定方法

(English Translation)

Issued on: October 23, 2012 **Implemented on: May 1, 2013**

Issued by: General Administration of Customs

Preview: page 1 of 3 shown, 9 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/sn-t-3285-2012

Chinastandards.org

Table of Contents

Foreword

1 Scope

2 Normative references

3 Terms and Definitions

4 Latifolia high Gali basic information

Foreword

This standard was drafted in accordance with GB/T 1.1-2009 given rules.

This standard is proposed and managed by the National Certification and Accreditation Administration Committee.

This standard was drafted. People's Republic of China Guangdong Entry-Exit Inspection and Quarantine, Shenzhen People's Republic of China Bureau, People's Republic of China Jiangsu Entry-Exit Inspection and Quarantine Bureau.

1 Scope

This standard specifies the plants and plant products, animal fur in high latifolia Gary (CaucalislatifoliaL.) The quarantine and identification methods.

This standard applies to the import and export of raw grain, seeds, seedlings, and other flowers mixed in import and export of goods and packaging, Transportation entrainment the wide blade height Gali quarantine and identification.

2 Normative references

The following documents for the application of this document is essential. For dated references, only the dated version suitable for use herein Member. For undated references, the latest edition (including any amendments) applies to this document.

Grain, feed inspection, sampling and sample preparation method SN/T 0800.1 Imports & Exports

3 Terms and Definitions

The following terms and definitions apply to this document.

Mericarps mericarp

Preview: page 2 of 3 shown, 9 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/sn-t-3285-2012

Development made by a suspicious skin, separated from each other when mature fruit flap, flap per fruit containing seeds 1.

Schizocarp not cracking nuts at maturity separated into a number containing a seed mericarps.

Double hanging fruit cremocarp One of the sub-type fruit by 2 carpel inferior ovary development is made, when the fruit is ripe, is separated into two small overhanging nuts, suspended central points on the stalk, double-hanging fruit Umbelliferae unique.

Carpel handle carponphore an elongated receptacle extending between carpel as a central axis.

Tubing vitta

Volatile oil pipeline storage endocrine endocarp main ridge between.

4 Latifolia high Gali basic information

Name CaucalislatifoliaL..

Common name GreaterBur-parsley, GreatBur-parsley Belonging to Umbelliferae classification (Umbeliferae) wide blade height Gary genus (CaucalisL.).

Preview: page 3 of 3 shown, 9 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/sn-t-3285-2012