Chinastandards.org

CCS C62

SN

# INDUSTRY STANDARD OF THE PEOPLE'S REPUBLIC OF CHINA

# SN/T 3306.1-2012

## Loop-mediated isothermal amplification detection method at frontier port. Part 1: Yersinia pestis

国境口岸环介导恒温扩增（LAMP）检测方法 第1部分：鼠疫杆菌

**(English Translation)**

**Issued on: December 12, 2012** **Implemented on: July 1, 2013**

**Issued by: General Administration of Customs**

Preview: page 1 of 3 shown, 6 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/sn-t-3306-1-2012

Chinastandards.org

# Table of Contents

Foreword
1 Scope
2 Normative references
3 Abbreviations
4 Biosecurity measures
5 Anti-pollution measures

## Foreword

SN/T 3306 "frontier port loop-mediated isothermal amplification (LAMP) detection method" is divided into four parts.

--- Part 1. Yersinia pestis;

--- Part 2. toxigenic Vibrio cholerae;

--- Part 3. Shigella;

--- Part 4. Legionella pneumophila.

This section SN/T 3306 Part 1.

This section drafted in accordance with GB/T 1.1-2009 given rules.

Please note that some of the content of this document may involve patents. Release mechanism of the present document does not assume responsibility for the identification of these patents.

This section proposed and managed by the National Certification and Accreditation Administration Committee.

## 1 Scope

SN/T 3306 provisions of this part of the border crossings to detect suspected plague samples, of unknown substances pestis constant loop-mediated Isothermal amplification (LAMP) method.

This section applies to border crossings screening tests Y. pestis.



Preview: page 2 of 3 shown, 6 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/sn-t-3306-1-2012

## 2 Normative references

The following documents for the application of this document is essential. For dated references, only the dated version suitable for use herein Member. For cited documents without a date. The latest version (including any amendments) applies to this document.

Laboratory use specifications and test methods GB/T 6682 Analysis GB 19489 General requirements for laboratory biosafety Applications WS/T 230 clinical diagnostic polymerase chain reaction (PCR) technology WS279-2008 plague diagnostic criteria

## 3 Abbreviations

The following abbreviations apply to this document.

Betaine. Betaine

Bst enzyme [BstDNApolymerase (largefragment)]. BstDNA polymerase (large fragment)
DNA. deoxyribonucleicacid, DNA dNTP (deoxyribonucleosidetriphosphate).
deoxynucleotide triphosphate EDTA (ethylenediaminetetraaceticacid).
ethylenediaminetetraacetic acid LAMP (loop-mediatedisothermalamplification).
loop-mediated isothermal amplification TritonX-100. Polyethylene glycol octylphenyl ether

## 4 Biosecurity measures

In order to protect the safety of laboratory personnel, shall be through the biosafety training and qualified staff to detect Yersinia pestis, all training Yang and waste should be performed with reference to the relevant provisions of GB 19489.

## 5 Anti-pollution measures

Prevent pollution measures should comply with WS/T 230's.



Preview: page 3 of 3 shown, 6 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/sn-t-3306-1-2012