Chinastandards.org

SN

INDUSTRY STANDARD OF THE PEOPLE'S REPUBLIC OF CHINA

SN/T 3414-2012

Detection and identification of Rhynchites aequatus Linnaeus

苹虎象检疫鉴定方法

(English Translation)

Issued on: December 12, 2012 **Implemented on: July 1, 2013**

Issued by: General Administration of Customs

Preview: page 1 of 3 shown, 7 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/sn-t-3414-2012

Chinastandards.org

Table of Contents

Foreword

1 Scope

2 Terms and definitions

3 Ping Hu as basic information

Foreword

This standard was drafted in accordance with GB/T 1.1-2009 given rules.

This standard is proposed and managed by the National Certification and Accreditation Administration Committee.

This standard was drafted. People's Republic of China Yantai Entry-exit inspection and quarantine Ningxia People's Republic of China Bureau, People's Republic of China Shandong Entry-Exit Inspection and Quarantine Qingdao, People's Republic of China.

1 Scope

This standard specifies the apple tiger like RhynchitesaequqtusLinnaeus quarantine authentication methods.

This standard applies to identify entry and exit quarantine fruit, fruit tree nursery stock, wood packaging materials and other Inspection and Quarantine of the apple like a tiger.

2 Terms and definitions

The following terms and definitions apply to this document.

Length bodylength

Weevil body length is calculated as the length from the eye to the front edge of the end portion of Coleoptera, excluding beak, Coleoptera and length of barbed end projections, if the hip plate Longer than elytra, the hip plate should be taken into account.

Scutellum scutelum

A piece of bone wings behind back part of the chest section. Coleoptera small shield plate is positioned between the center and the base of pronotum Coleoptera two interior angles.

Beak rostrum

Part weevil forehead extending forward, with the end of the mouthpiece.

Preview: page 2 of 3 shown, 7 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/sn-t-3414-2012

The base and the end baseandapex in Coleoptera form description, before a line between Coleoptera and mesonotum basis, from the near end of this line as the base, far One end of the end portion. That was the tip pronotum end, the rear end of the base, and the front end of Coleoptera is the base of the back end for end.

Line pattern stria

Coleoptera longitudinally aligned grooves on the back, including the moment of the trip point.

Interval between the lines Coleoptera regional pattern every two adjacent rows between.

3 Ping Hu as basic information

Name. RhynchitesaequqtusLinnaeus Synonyms. Tiatianaerhynchitesaequqtus; Caenorhinusaequqtus; Neocoenorrhinusaequqtus Taxonomic position. Coleoptera Coleoptera, weevils superfamily Cruculionoidea, tooth jaw elephantidae Rhynchitidae, tiger and elephant genus Rhyn-chites.

Ping tiger Images for egg, larva, pupa and adult insect and other states by the host plant or fruit, leaves and other means of communication. Other See Appendix A.

Approximate seed Li Hu also like InvolvuluscupreusL., Apricot tiger as the tiger and elephant apple shape on Rhynchitesfaldermanni Schon, European apple tiger like RhynchitesbacchusL., Japan Ping tiger and elephant RhynchitesherosRoelof like.

Preview: page 3 of 3 shown, 7 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/sn-t-3414-2012