Chinastandards.org

SN

INDUSTRY STANDARD OF THE PEOPLE'S REPUBLIC OF CHINA

SN/T 3443-2012

Detection and identification of Aegilops tauschii Coss.

节节麦检疫鉴定方法

(English Translation)

Issued on: December 12, 2012 **Implemented on: July 1, 2013**

Issued by: General Administration of Customs

Preview: page 1 of 3 shown, 7 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/sn-t-3443-2012

Chinastandards.org

Table of Contents

Foreword

1 Scope

2 Terms and definitions

3 This information is steadily McKee

Foreword

This standard was drafted in accordance with GB/T 1.1-2009 given rules.

This standard is proposed and managed by the National Certification and Accreditation Administration Committee.

This standard was drafted. China Inspection and Quarantine Science Research Institute, Chinese Academy of Agricultural Sciences, People's Republic of China Jiangsu Entry-Exit Inspection and Quarantine Bureau, People's Republic of China Shandong CIQ.

1 Scope

This standard specifies the phytosanitary steadily wheat in quarantine and identification methods.

This standard applies to the entry and exit of plants and plant products in quarantine and identification of wheat steadily.

2 Terms and definitions

The following terms and definitions apply to this document 2.1 Spikelets spikelet Small spikes or secondary spike; by the two pieces of sheet (glumes) wrapped up a flower composed of grasses and sedges final stage Spikes.

Floret

Spikelets of grass flower, also known as lemma with caryopsis.

Caryopsis

Gramineae not cracking nuts, seed coat and pericarp healing, with a seed.

Ying glum

Grassy spikelets basal bract, usually two, since the beginning Ying, Ying outside.

Lemma milet

Preview: page 2 of 3 shown, 7 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/sn-t-3443-2012

Bracts flower spikelets on a parcel caryopsis, a total of two, since the beginning of lemma, lemma.

Awn awn

Spikelets glumes or floret lemma apex elongated into a bristle-like.

3 This information is steadily McKee

Scientific name. AegilopstauschiiCoss (Cosson, ES-C, 1849.).

Common name. Tausch'sgoatgrass Membership Gramineae (Poaceae) Aegilops (AegilopsL.).

Host. Aegilops wheat wheat crops mimicry weeds, major damage wheat crops. And other field crops and wheat crop rotation.

Transmission. steadily in wheat spikelets mixed in the form of unprocessed plants and plant seeds among the plants with raw grain and plant seeds and transportation Introduction and spread.

Preview: page 3 of 3 shown, 7 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/sn-t-3443-2012