

ICS 77.140.65
CCS H49

SN

**INDUSTRY STANDARD OF THE
PEOPLE'S REPUBLIC OF CHINA**

SN/T 3468.8-2013

**Rules for the damage survey of steel materials. Part 8: Steel
wire ropes**

(English Translation)

Issued on: March 1, 2013

Implemented on: September 16, 2013

Issued by: General Administration of Customs

Table of Contents

Foreword

1 Scope

2 Normative references

3 Terms and Definitions

Foreword

SN/T 3468 "damaged steel inspection and authentication procedures" is divided into eight sections.

--- Part 1. Steel sheets and strips;

--- Part 2. Stainless steel plate and strip;

--- Part 3. steel;

--- Part 4. rebar, wire rod;

--- Part 5. steel;

--- Part 6. pre-painted steel sheet and strip;

--- Part 7. electrical steel sheet and strip;

--- Part 8. rope.

This section SN/T Section 83468 of.

This section drafted in accordance with GB/T 1.1-2009 given rules.

This section proposed and managed by the National Certification and Accreditation Administration Committee.

1 Scope

SN/T 3468 This section provides the basic requirements of the damaged wire rope inspection and appraisal and general procedures.

This section applies to inspection and identification of damaged wire rope.

2 Normative references

The following documents for the application of this document is essential. For dated references, only the dated version suitable for use herein Member. For undated references,

the latest edition (including any amendments) applies to this document.

GB/T 8706 wire rope terminology, designation and classification GB 8903 Wire Rope for Elevator GB 8918 important uses rope GB/T 21965-2008 wire rope inspection and defect term SN/T 2388.1-2009 damaged inspection and identification procedures of imported goods - Part 1. General Damaged inspection and appraisal procedures SN/T 2388.2 imported goods - Part 2. Terminology SN/T 2388.3-2010 inspection of imported goods damaged identification procedures - Part 3. Identification of general average

3 Terms and Definitions

GB/T 8706, GB/T 21965 and SN/T 2388.2 and define the following terms and definitions apply to this document.

Rope steelwireropes

Steel wire rope made of twisted.

Rope damaged damageofsteelwireropes Losses caused by the rope deformation, wear, corrosion, pitting, broken wire (shares) in the handling, transportation, storage, process and so on.

Damaged degree extentofdamage the number of wire rope, weight shortages, decline in quality or downgraded situation.

Damaging rate rateofdamage Ratio of the number (or weight) of the damaged portion of the wire rope to the original state.

Gusun rate rateofdamagebyappraisement Number damaging loss to the extent of the entire batch of rope were identified assessment drawn (or weight) and bulk quantity (or weight) ratio.