Chinastandards.org

SN

INDUSTRY STANDARD OF THE PEOPLE'S REPUBLIC OF CHINA

SN/T 3572-2013

Detection and identification of Acythopeus granulipennis(Tournier)

西瓜船象检疫鉴定方法

(English Translation)

Issued on: March 1, 2013 **Implemented on: September 16, 2013**

Issued by: General Administration of Customs

Preview: page 1 of 3 shown, 9 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/sn-t-3572-2013

Chinastandards.org

Table of Contents

Foreword

1 Scope

2 Terms and definitions

Foreword

This standard was drafted in accordance with GB/T 1.1-2009 given rules.

This standard is proposed and managed by the National Certification and Accreditation Administration Committee.

This standard was drafted. People's Republic of China Guangdong CIQ.

1 Scope

This standard specifies the testing, specimen preservation and identification methods such as watermelon boat interior object.

This standard applies to entry quarantine and identification of plant quarantine in the boat like a watermelon.

2 Terms and definitions

The following terms and definitions apply to this document.

Length bodylength

Weevil body length is calculated from the eye to the front edge of the end portion of the length of Coleoptera, excluding beak, Coleoptera end stab and neurite length. If the hip plate More than elytra, the hip plate should be taken into account.

Body width Metering the widest portion of the body.

The base and the end baseandapex Before a line between Coleoptera and mesonotum basis, from the near end of this line is called the base of the far end of the call ends. That front harness Called front end plate ends, called the rear end of the base, and the front end of Coleoptera is called the base, called the rear end of the end portion.

Beak rostrum

Regional head between two compound eyes that amount by the amount of beak extending forwardly from, looks like elephant nose, with the end of the mouthpiece.

Preview: page 2 of 3 shown, 9 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/sn-t-3572-2013

Tentacles ditch scrobe Located beak, it is receiving antennal scape ditch.

Line pattern stria

Coleoptera longitudinally aligned grooves on the back, including the moment of the trip point.

Interval between the lines each area of adjacent land between two rows on the line between the Coleoptera.

Scutellum scutelum

That mesonotum, located between the base of pronotum with two central Coleoptera interior angles.

Hip plate pygidium

Coleoptera exposed outside the body section, you can see the abdomen distal backplane.

Preview: page 3 of 3 shown, 9 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/sn-t-3572-2013