Chinastandards.org

ICS 07.080
CCS B16

SN

INDUSTRY STANDARD OF THE PEOPLE'S REPUBLIC OF CHINA

SN/T 3575-2013

Detection and identification of Rhynchites bacchus L.

欧洲苹虎象检疫鉴定方法

(English Translation)

Issued on: March 1, 2013 **Implemented on: September 16, 2013**

Issued by: General Administration of Customs

Preview: page 1 of 3 shown, 8 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/sn-t-3575-2013

Chinastandards.org

Table of Contents

Foreword

1 Scope

2 Terms and definitions

Foreword

This standard was drafted in accordance with GB/T 1.1-2009 given rules.

This standard is proposed and managed by the National Certification and Accreditation Administration Committee.

This standard was drafted. People's Republic of China Guangdong Entry-Exit-Entry Inspection and Ningxia People's Republic of China Quarantine Bureau.

1 Scope

This standard specifies the testing, specimen preservation and identification methods such as the European indoor ping tiger elephant.

This standard applies to quarantine and identification of plant quarantine entry in the European apple tiger elephant.

2 Terms and definitions

The following terms and definitions apply to this document.

Length bodylength

Weevil body length is calculated from the eye to the front edge of the end portion of the length of Coleoptera, excluding beak, Coleoptera end stab and neurite length. If the hip plate More than elytra, the hip plate should be taken into account.

The base and the end baseandapex Before a line between Coleoptera and mesonotum basis, from the near end of this line is called the base of the far end of the call ends. That front harness Called front end plate ends, called the rear end of the base, and the front end of Coleoptera is called the base, called the rear end of the end portion.

Beak rostrum

Regional head between the eyes is the amount by the amount of beak extending forwardly from, looks like elephant nose, with the end of the mouthpiece.

Preview: page 2 of 3 shown, 8 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/sn-t-3575-2013

Tentacles ditch scrobe Antennal groove located beak, which is to accommodate the antennal scape ditch.

Line pattern stria

Coleoptera groove on the back row pattern is vertically arranged, including rows of engraved points.

Interval between the lines each area of adjacent land between two rows on the line between the Coleoptera.

Scutellum scutelum

Scutellum namely mesonotum, located between the base of pronotum with two central Coleoptera interior angles.

Hip plate pygidium

Coleoptera exposed outside the body section, you can see the abdomen distal backplane.

3 The European apple like a tiger's information Scientific name. Rhynchitesbacchus (Linnaeus, 1758).

Preview: page 3 of 3 shown, 8 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/sn-t-3575-2013