Chinastandards.org

ICS 07.080
CCS B16

SN

INDUSTRY STANDARD OF THE PEOPLE'S REPUBLIC OF CHINA

SN/T 3671-2013

Detection and identification of Craponius inaequalis (Say)

葡萄象检疫鉴定方法

(English Translation)

Issued on: August 30, 2013 **Implemented on: March 1, 2014**

Issued by: General Administration of Customs

Preview: page 1 of 3 shown, 7 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/sn-t-3671-2013

Chinastandards.org

Table of Contents

Foreword

1 Scope

2 Terms and definitions

3 Basic information like grapes

Foreword

This standard was drafted in accordance with GB/T 1.1-2009 given rules.

This standard is proposed and managed by the National Certification and Accreditation Administration Committee.

This standard was drafted. People's Republic of China Hubei Entry-Exit Inspection and Quarantine of Jilin People's Republic of China Bureau, People's Republic of China Shandong Entry-Exit Inspection and Quarantine of Jiangsu People's Republic of China, People's Republic of China Zhangjiagang Entry-Exit Inspection and Quarantine Zhuhai People's Republic of China.

1 Scope

This standard defined the testing, breeding, identification of specimens and laboratory methods such as the grape.

This standard applies to the entry and exit of the grape plant quarantine as testing, breeding and identification.

2 Terms and definitions

The following terms and definitions apply to this document.

Length bodylength

Weevil body length is calculated as from the leading edge to the compound eyes of Coleoptera end length, not including the beak, Coleoptera end stab and neurite length. If the hip Board over Coleoptera, the gluteal board should be counted.

The base and the end baseandapex Before a line between Coleoptera and mesonotum basis, from the near end of this line is called the base of the far end of the call ends. That front harness Called front end plate ends, called the rear end of the base, and the front end of Coleoptera is called the base, called the rear end of the end portion.

Preview: page 2 of 3 shown, 7 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/sn-t-3671-2013

Beak rostrum

Regional head between two compound eyes that amount by the amount of beak extending forward from the trunk-like or beak-like, end with mouthparts.

Tentacles ditch scrobe Antennal groove located beak, which is to accommodate the antennal scape ditch.

Line pattern stria

Coleoptera groove on the back row pattern is vertically arranged, including rows of engraved points.

Interval between the lines each area of adjacent land between two rows on the line between the Coleoptera.

Hip plate pygidium

Coleoptera exposed outside the body section, you can see the abdomen distal backplane.

Scales scale

Insect body wall deformation by the bristles specialized foreign minister was made flat.

3 Basic information like grapes

Chinese name. like grapes

Preview: page 3 of 3 shown, 7 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/sn-t-3671-2013