Chinastandards.org

SN

INDUSTRY STANDARD OF THE PEOPLE'S REPUBLIC OF CHINA

SN/T 3673-2013

Detection and identification of Diaprepes abbreviata (L.)

蔗根象检疫鉴定方法

(English Translation)

Issued on: August 30, 2013 **Implemented on: March 1, 2014**

Issued by: General Administration of Customs

Preview: page 1 of 3 shown, 8 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/sn-t-3673-2013

Chinastandards.org

Table of Contents

Foreword

1 Scope

2 Terms and definitions

3 Basic information of sugarcane weevil

Foreword

This standard was drafted in accordance with GB/T 1.1-2009 given rules.

This standard is proposed and managed by the National Certification and Accreditation Administration Committee.

This standard was drafted. Chinese Academy of Inspection and Quarantine, Beijing Entry-Exit Inspection and Quarantine Bureau.

1 Scope

This standard specifies the quarantine and identification of the sugarcane weevil Diaprepesabbreviata.

This standard applies to sugarcane quarantine and identification of the root object.

2 Terms and definitions

The following terms and definitions apply to this document.

Length bodylength

Weevil body length is calculated as the length from the eye to the front edge of the end portion of Coleoptera, excluding beak, Coleoptera and length of barbed end projections, if the hip plate More than elytra, the hip plate should be taken into account.

"Inner" and "outer" in beak midline, pronotum, elytra seam link line basis, from the near side of this line is called the "inside", far side called "outer".

The base and the end baseandapex Before a line between Coleoptera and mesonotum basis, from one end of this line near the base of the far end to end. That pronotum the front end is called the end portion, called the rear end of the base, and the front end of Coleoptera is called the base, called the rear end of the end portion.

Beak rostrum

Preview: page 2 of 3 shown, 8 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/sn-t-3673-2013

The area between the eyes frontal head, beak extending forwardly from the forehead.

Antenna antennae

Section paired sensory appendages, one on each side of the head. Sub-scape (scape), cable section (funicle) and the stick (club) in three parts.

Tentacles ditch antennalscrobe Antennal groove located beak, it is receiving antennal scape ditch.

3 Basic information of sugarcane weevil

Scientific name. Diaprepesabbreviata (Linnaeus, 1758) Synonyms. Exophthalmusabbreviatus; Curculioabbreviatus Linnaeus, 1758. Diaprepesfestivus (Fabricius, 1792); Diaprepesirregularis (Panzer, 1798); Diaprepesquadrilineatus (Olivier, 1807);

Diaprepesspengleri (L.) English common name. Diaprepesrootweevil, Citrusweevil, WestIndianweevil, Sugarcanerootstalkborer

Preview: page 3 of 3 shown, 8 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/sn-t-3673-2013