Chinastandards.org

ICS 07.080
CCS B16

SN

INDUSTRY STANDARD OF THE PEOPLE'S REPUBLIC OF CHINA

SN/T 4012-2013

Detection and identification of Ceroplastes rusci(L.)

无花果蜡蚧检疫鉴定方法

(English Translation)

Issued on: November 6, 2013 **Implemented on: June 1, 2014**

Issued by: General Administration of Customs

Preview: page 1 of 3 shown, 10 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/sn-t-4012-2013

Chinastandards.org

Table of Contents

Foreword

1 Scope

2 Terms and definitions

Foreword

This standard was drafted in accordance with GB/T 1.1-2009 given rules.

This standard is proposed and managed by the National Certification and Accreditation Administration Committee.

This standard was drafted. Shanxi People's Republic of China Entry-Exit Inspection and Quarantine Shenyang People's Republic of China Bureau, Inner Mongolia, People's Republic of China Entry-Exit Inspection and Quarantine, Shenzhen People's Republic of China, People's Republic of China Jilin State Exit Inspection and Quarantine.

1 Scope

This standard specifies the fig wax scale [Ceroplastesrusci (L.)] Of quarantine and identification methods.

This standard applies to plant quarantine inspection and identification of the fig wax scale.

2 Terms and definitions

The following terms and definitions apply to this document.

Tail crack (gluteal cleft, fissure) analcleft Kuwana Branch in anal scale insects position inwardly recessed behind the worm appears a slit, is called the gluteal cleft or split tail. Lobed leaves on both sides of the tail Caudate lobe (anallobe).

Anal plate in the end split backing, cover the anus has two triangular plates sclerosis, called anal plate. Anal plate divided anterior horn, posterior horn and outer corners and the leading edge, a trailing edge and the inner edge.

Anal ring

Anal located in a recess of the cylindrical structure, which is called the anal tube (analtube), at the outer end of the anal tube has a hardened ring. It consists of two crescent-shaped the rings, the opening of the anus is called anal ring. There are a few rows of rings to the anal orifice ring, and often hairy anal ring 6 ~ 8.

Preview: page 2 of 3 shown, 10 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/sn-t-4012-2013

Edge fold marginalfold Worms often circle around Kuwana Branch destined hair long pleats, called edge pleats. Fold the edge of the parasite into the back and ventral area. Fold the upper edge of the students Bristles called ciliate (marginalsetae).

Valve road stigmaticgroove (stigmaticfurrow) the disc valve chest gland body edge success column, forming a valve path.

Valve depression stigmaticdepression the valve body in the road edge at one end of the body wall have different degrees of depression, the depression valve.

Valve thorn stigmaticspine at one end of the valve body edge way valve that is called depression valve at the stab stab.

Gland plate discalpores A class of hole-shaped gland structure, secrete a waxy material covering the surface of the parasite. Kuwana Branch of the disc features five gland gland cells, glands and wax scale multi-compartment type hole.

Five grid gland quinquelocularpores Circular, the center of a cell, surrounded by five grid, distributed in the ventral valve area.

Preview: page 3 of 3 shown, 10 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/sn-t-4012-2013