Chinastandards.org

ICS 75.180
CCS E14

SY

INDUSTRY STANDARD OF THE PEOPLE'S REPUBLIC OF CHINA

SY/T 6904-2012

The calibration method of production well logging surface system

生产测井地面系统校准方法

(English Translation)

Issued by: National Development and Reform Commission

Preview: page 1 of 4 shown, 10 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/sy-t-6904-2012

Chinastandards.org

Table of Contents

[Preview only]
1 Scope
1.2 Definition of terms
2 Normative references
2.1 General requirements
2.2 Pressure-drop limitations and piping configurations
2.3 Inlet stresses that originate from static loads in the discharge piping
2.4 Inlet stresses that originate from discharge reaction forces
2.5 Isolation valves in inlet piping
2.6 Rupture disk devices in combination with pressure relief valves
2.7 Process laterals connected to inlet piping of pressure relief valves
2.8 Turbulence in pressure relief device inlets
3 Terms and definitions
3.2 Safe disposal of relieving fluids
3.3 Back pressure limitations and sizing of pipe
3.4 Considerations for pilot-operated pressure relief valves
3.5 Stresses that originate from discharge piping
3.6 Isolation valves in the discharge piping
4 Isolation valves in pressure relief piping
4.1 Determination of relief requirements
4.2 Relieving pressure
4.3 Sizing for gas or vapor relief
4.4 Examples of isolation valve installations
4.5 Sizing for liquid relief: relief valves requiring liquid capacity certification
4.6 Sizing for liquid relief: relief valves not requiring liquid capacity certification
4.7 Sizing for two-phase liquid/vapor relief
4.8 Sizing for rupture disk devices
5 Bonnet or pilot vent piping
5.1 Conventional pressure relief valves
5.2 Balanced bellows pressure relief valves
5.3 Balanced piston pressure relief valve
5.4 Pilot-operated pressure relief valves

Preview: page 2 of 4 shown, 10 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/sy-t-6904-2012

5.5 Thickness calculation of planar insulation layer
6 Drain piping
6.1 Installation conditions that require drain piping
6.2 Safe practice for installation of drain piping
6.3 SPM Location and Spatial Requirements
6.4 Other materials
6.5 Transportation, storage and custody of materials
7 Pressure relief device location and position
7.1 Inspection and maintenance
7.2 Proximity to pressure source
7.3 Proximity to other equipment
7.4 Mounting position
7.5 Test or lifting levers
7.6 Heat tracing and insulation
8 Bolting and gasketing
8.1 Care in installation
8.2 Proper gasketing and bolting for service requirements
8.3 Welding
8.4 Quality Control and Inspection
9 Multiple pressure relief valves with staggered settings
9.2 Installation of Mooring Foundation
9.3 Laying of Mooring Lines
9.4 Hook-up of Mooring Lines

1 Foreword

SY/T 6904-2012 is issued by National Development and Reform Commission.

The SY/T prefix marks a recommended standard. It is not law in itself: it becomes binding when a contract names it, when a regulation or a mandatory standard refers to it, or when a producer declares conformity with it.

The document runs to 10 pages in English translation.

2 Scope Preview

This standard specifies the production logging ground system (hereinafter referred to as the ground system) calibration method.

Preview: page 3 of 4 shown, 10 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/sy-t-6904-2012

SY/T 6904-2012 falls under ICS 75.180, in the field of petroleum and related technologies.

This catalogue holds 482 other SY/T standards in that field.

In this catalogue, SY/T standards carry edition years from 1973 to 2025.

3 About this standard

Sector: Oil & Gas Industry Standard (Recommended)

Issued by: National Development and Reform Commission

English translation: about 10 pages (approximate)

Chinese original: about 15,181 characters

4 Related standards

Standards on related subjects:

SY/T 7774-2024 - Test method for sulfur isotope of source rock, oil, natural gas and water

GB/T 9711-2023 - Petroleum and natural gas industries - Steel pipe for pipeline transportation systems

SY/T 10025-2009 - Pre-operation inspection for offshore drilling unit

SY/T 5757-2024 - Technical specification for biocides for water injection treatment

SY/T 5734-2024 - Seal inspection and testing procedures for downhole packers in separate production and injection wells

SY/T 5185-2024 - Method for determining properties of water-based sand-carrying fluid for gravel packing and sand control

5 Classification and status

International classification (ICS): 75.180

Chinese Standard Classification (CCS): E 14

Prefix SY/T: recommended standard.

Preview: page 4 of 4 shown, 10 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/sy-t-6904-2012