Chinastandards.org

ICS 75.180.10
CCS E94

SY

INDUSTRY STANDARD OF THE PEOPLE'S REPUBLIC OF CHINA

SY/T 6930-2012

Corrosion control of offshore structures by protective coatings

海上构筑物的保护涂层腐蚀控制

(English Translation)

Issued by: National Development and Reform Commission

Preview: page 1 of 4 shown, 25 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/sy-t-6930-2012

Chinastandards.org

Table of Contents

[Preview only]
1 General
1.2 Definition of terms
2 Terms and Definitions
2.1 General requirements
2.2 Pressure-drop limitations and piping configurations
2.3 Inlet stresses that originate from static loads in the discharge piping
2.4 Inlet stresses that originate from discharge reaction forces
2.5 Isolation valves in inlet piping
2.6 Rupture disk devices in combination with pressure relief valves
2.7 Process laterals connected to inlet piping of pressure relief valves
2.8 Turbulence in pressure relief device inlets
3 Coating System
3.2 Safe disposal of relieving fluids
3.3 Back pressure limitations and sizing of pipe
3.4 Considerations for pilot-operated pressure relief valves
3.5 Stresses that originate from discharge piping
3.6 Isolation valves in the discharge piping
4 Typical Generic Protective Coating systems
4.1 Determination of relief requirements
4.2 Relieving pressure
4.3 Sizing for gas or vapor relief
4.4 Examples of isolation valve installations
4.5 Sizing for liquid relief: relief valves requiring liquid capacity certification
4.6 Sizing for liquid relief: relief valves not requiring liquid capacity certification
4.7 Sizing for two-phase liquid/vapor relief
4.8 Sizing for rupture disk devices
5 Qualification Testing of Coating Systems
5.1 Conventional pressure relief valves
5.2 Balanced bellows pressure relief valves
5.3 Balanced piston pressure relief valve
5.4 Pilot-operated pressure relief valves

Preview: page 2 of 4 shown, 25 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/sy-t-6930-2012

5.5 Thickness calculation of planar insulation layer
6 Surface Preparation
6.1 Installation conditions that require drain piping
6.2 Safe practice for installation of drain piping
6.3 SPM Location and Spatial Requirements
6.4 Other materials
6.5 Transportation, storage and custody of materials
7 Coating Materials and Application
7.1 Inspection and maintenance
7.2 Proximity to pressure source
7.3 Proximity to other equipment
7.4 Mounting position
7.5 Test or lifting levers
7.6 Heat tracing and insulation
8 Quality Assurance and Control
8.1 Care in installation
8.2 Proper gasketing and bolting for service requirements
8.3 Welding
8.4 Quality Control and Inspection
9 Coating Repair
9.2 Installation of Mooring Foundation
9.3 Laying of Mooring Lines
9.4 Hook-up of Mooring Lines

1 Foreword

SY/T 6930-2012 is issued by National Development and Reform Commission.

The SY/T prefix marks a recommended standard. It is not law in itself: it becomes binding when a contract names it, when a regulation or a mandatory standard refers to it, or when a producer declares conformity with it.

The document runs to 25 pages in English translation.

2 Scope Preview

This standard applies to offshore oil and gas production and processing of steel structures and equipment corrosion control coating.

Preview: page 3 of 4 shown, 25 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/sy-t-6930-2012

SY/T 6930-2012 falls under ICS 75.180.10, in the field of petroleum and related technologies.

This catalogue holds 482 other SY/T standards in that field.

In this catalogue, SY/T standards carry edition years from 1973 to 2025.

3 About this standard

Sector: Oil & Gas Industry Standard (Recommended)

Issued by: National Development and Reform Commission

English translation: about 25 pages (approximate)

Chinese original: about 37,362 characters

4 Related standards

Standards on related subjects:

GB/T 9109.5-2017 - Petroleum and liquid petroleum products dynamic measurement -- Part 5: Calculation of oil quantities

SY/T 5324-2013 - Pre-Stress Insulated Tubing

SY/T 6982-2024 - Specification for installation of ventilation and air conditioning systems for offshore production facilities

SY/T 6980-2024 - Abandonment of offshore oil and gas production facilities

SY/T 4100-2024 - Technical specification for beach engineering survey

5 Classification and status

International classification (ICS): 75.180.10

Chinese Standard Classification (CCS): E 94

Prefix SY/T: recommended standard.

Preview: page 4 of 4 shown, 25 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/sy-t-6930-2012