Chinastandards.org

ICS 45.020
CCS S30

TB

RAILWAY INDUSTRY STANDARD OF THE PEOPLE'S REPUBLIC OF CHINA

TB/T 3332-2013

Railway applications - Method for determining the equivalent wheel/rail conicity

铁路应用 确定轮轨等效锥度的方法

(English Translation)

Issued by: Ministry of Railways of the People's Republic of China

Preview: page 1 of 4 shown, 39 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/tb-t-3332-2013

Chinastandards.org

Table of Contents

[Preview only]
1 Scope
2 Normative References
3 Terms and Definitions
3.1 Basic requirements
3.2 Material requirements
3.3 Structural requirements
3.4 Performance Requirements
4 Technical Requirements
4.1 Longitudinal rail restraint
4.2 Assembly clamping force
4.3 Fatigue performance of fastening assembly
4.4 Insulation performance
5 Test Methods
5.1 Type Inspection
5.2 End-of-manufacturing Inspection
6 Inspection Rules
6.1 Vertical Load Test
6.2 Longitudinal Compression Test
6.3 Longitudinal Tension Load Test
6.4 Torque Load Test
6.5 Rescue Strength Test (Single-head Lifting)
6.6 Safe Pressure Test of the Driver's Cab
6.7 Anti-collision Structure Pressure Test of the Driver's Cab
6.8 Cowcatcher Pressure Test
7 Marking, Packaging, Transportation and Storage
8 Test Equipment and Instruments
9 Strain Gage and Its Pasting and Wiring
9.1 Requirements of Measuring Gage
9.2 Requirements of Temperature Compensating Gage
9.3 Pasting Requirements of Strain Gage
9.4 Wiring Requirements of Strain Gage

Preview: page 2 of 4 shown, 39 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/tb-t-3332-2013

9.5 Moisture-proof of Strain Gage

1 Foreword

TB/T 3332-2013 is issued by Ministry of Railways of the People's Republic of China.

The TB/T prefix marks a recommended standard. It is not law in itself: it becomes binding when a contract names it, when a regulation or a mandatory standard refers to it, or when a producer declares conformity with it.

The document runs to 39 pages in English translation.

2 Scope Preview

This standard specifies a method for evaluation. In addition to the standard algorithm given algorithm can be applied to other equivalent taper. In order to get an accurate equivalent conicity calculations, the standard gives a basis of calculation.

TB/T 3332-2013 falls under ICS 45.020, in the field of railway engineering.

This catalogue holds 457 other TB/T standards in that field.

In this catalogue, TB/T standards carry edition years from 1973 to 2026.

3 About this standard

Sector: Railway & Train Industry Standard (Recommended)

Issued by: Ministry of Railways of the People's Republic of China

English translation: about 39 pages (approximate)

Chinese original: about 58,573 characters

4 Related standards

Standards on related subjects:

GB/T 37423-2019 - Urban rail transit inverter for regenerative braking energy absorption

GB/T 5599-2019 - Specification for dynamic performance assessment and testing verification of rolling stock

TB/T 3237-2010 - Flame retardant technical specification of decorating materials for multiple unit train

TB/T 3503.5-2023 - Aerodynamics for railway applications - Part 5: High wind assessment requirements and test methods

Preview: page 3 of 4 shown, 39 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/tb-t-3332-2013

TB/T 3426-2023 - Rolling stock axle box rolling axle box

TB/T 3342-2014 - Definition of locomotive and rolling stock reference weights

5 Classification and status

International classification (ICS): 45.020

Chinese Standard Classification (CCS): S 30

Prefix TB/T: recommended standard.

Preview: page 4 of 4 shown, 39 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/tb-t-3332-2013