Chinastandards.org

ICS 33.070.99
CCS M37

YD

INDUSTRY STANDARD OF THE PEOPLE'S REPUBLIC OF CHINA

YD/T 1307-2004

800MHz CDMA digital cellular mobile telecommunication network Wireless Intelligent Network (WIN). Phase 1: Interface test method

800MHz CDMA数字蜂窝移动通信网无线智能网(WIN)阶段1:接口测试方法

(English Translation)

Issued on: February 9, 2004 **Implemented on: February 9, 2004**

Issued by: Ministry of Industry and Information Technology

Preview: page 1 of 3 shown, 238 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/yd-t-1307-2004

Chinastandards.org

Table of Contents

[Preview only]
1 Scope
2 Normative references
3 Abbreviations
3.1 Terms and definitions
4 General
4.1 Test environment
4.2 UE Information
4.3 Test Implementation
5 Technical requirements

1 Foreword

YD/T 1307-2004 was issued by Ministry of Industry and Information Technology on 9 February 2004 and took effect the same day.

The YD/T prefix marks a recommended standard. It is not law in itself: it becomes binding when a contract names it, when a regulation or a mandatory standard refers to it, or when a producer declares conformity with it.

The document runs to 238 pages in English translation.

2 Scope Preview

This standard specifies the YD/T 1208-2002 "800MHz CDMA digital cellular mobile communication network Wireless Intelligent Network (WIN) Stage 1: Interface Technology Requirements" and wireless intelligent network service switching point (SSP), Service Control Point (SCP), intelligent Peripheral (IP), the home location register (HLR) for operation and the parameters associated with these operations, the error as a result, application entity procedures, TCAP services used by the test program. This standard test items for each operation is divided into effective and ineffective behavioral testing behavioral tests. This standard applies to Wireless Intelligent Network (WIN) phase 1 service switching point (SSP), Service Control Point (SCP), Intelligent Peripheral (IP) and home location register (HLR) equipment.

YD/T 1307-2004 falls under ICS 33.070.99, in the field of telecommunications.

This catalogue holds 3,420 other YD/T standards in that field.

Preview: page 2 of 3 shown, 238 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/yd-t-1307-2004

In this catalogue, YD/T standards carry edition years from 1982 to 2026.

3 About this standard

Sector: Telecommunication Industry Standard (Recommended)

Issued by: Ministry of Industry and Information Technology

English translation: about 238 pages (approximate)

Chinese original: about 357,369 characters

4 Related standards

Standards on related subjects:

YD 1268.1-2003 - [YD/T 1268.1-2003] The safety specification and test method for lithium batteries

YD 1268.2-2003 - [YD/T 1268.2-2003] The safety specification and test method for lithium battery charger

YD/T 6502-2025 - Calibration procedures of electromagnetic field sensors and probes (excluding antennas)from 9kHz to 40GHz

YD/T 6501.1-2025 - Antenna performance requirement and measurement method for civil robots integrated with wireless communication technology - Part 1: General requirement

YD/T 2869.3-2025 - Performance requirement and measurement method for MIMO antenna terminal Part 3: 5G NR wireless terminal (mmWave)

5 Classification and status

International classification (ICS): 33.070.99

Chinese Standard Classification (CCS): M 37

Prefix YD/T: recommended standard.

Preview: page 3 of 3 shown, 238 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/yd-t-1307-2004