

ICS 33.120.10
CCS M42

YD

**INDUSTRY STANDARD OF THE
PEOPLE'S REPUBLIC OF CHINA**

YD/T 2161-2010

Telecommunication cable. Foamed polyethylene dielectric, copper-clad aluminum tube inner conductor, corrugated aluminum tube outer conductor, 50ohm radio frequency coaxial cables for wireless communication

(English Translation)

Issued on: December 29, 2010

Implemented on: January 1, 2011

Issued by: Ministry of Industry and Information Technology

Table of Contents

Document data

Standards quoted by this standard

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document.

GB/T 228

GB/T 2951.11

GB/T 2951.13

GB/T 3048.2

GB/T 3880.1

GB/T 3880.2

GB/T 3880.3

GB/T 4437.1-2000

GB/T 4409.5

GB/T 6995.3

GB/T 8806

GB/T 15065

GB/T 17737.1-2000

GB/T 18380.12-2008

YD/T 322-1996

YD/T 837.3-1996

YD/T 837.4-1996

YD/T 837.5-1996

YD/T 886-1997

YD/T 897.1-1997

YD/T 1113

JB/T 8137

JB/T 10696.3

JB/T 10696.8-2007