Chinastandards.org

ICS 33.060.99
CCS M36

YD

INDUSTRY STANDARD OF THE PEOPLE'S REPUBLIC OF CHINA

YD/T 2516-2013

Test method of home NodeB south interface for 2GHz TD-SCDMA digital cellular mobile telecommunication network

2GHz TD-SCDMA数字蜂窝移动通信网 家庭基站南向接口网管测试方法

(English Translation)

Issued by: Ministry of Industry and Information Technology

Preview: page 1 of 3 shown, 27 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/yd-t-2516-2013

Chinastandards.org

Table of Contents

[Preview only]
1 Scope
2 Normative references
3 Abbreviations
3.1 Terms and definitions
4 General
4.1 Test environment
4.2 UE Information
4.3 Test Implementation
5 Technical requirements

1 Foreword

YD/T 2516-2013 is issued by Ministry of Industry and Information Technology.

The YD/T prefix marks a recommended standard. It is not law in itself: it becomes binding when a contract names it, when a regulation or a mandatory standard refers to it, or when a producer declares conformity with it.

The document runs to 27 pages in English translation.

2 Scope Preview

YD/T 2516-2013 falls under ICS 33.060.99, in the field of telecommunications.

This catalogue holds 3,420 other YD/T standards in that field.

In this catalogue, YD/T standards carry edition years from 1982 to 2026.

3 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document.

YD/T 1302-2012

TR-069 CPE WAN Management Protocol (CPE WAN MANAGEMENT PROTOCOL)

Preview: page 2 of 3 shown, 27 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/yd-t-2516-2013

4 About this standard

Issued by: Ministry of Industry and Information Technology

English translation: about 27 pages (approximate)

5 Related standards

Standards on related subjects:

GB/T 32401-2015 - Technical requirements and measurement methods for VHF/UHF frequency

YD/T 2408-2013 - Test methods for security capability of smart mobile terminal

GB/T 12572-2008 - Universal requirements and measurement methods of parameters for radio transmitting equipment

YD/T 2507.9-2015 - 2GHz TD-SCDMA digital cellular mobile telecommunication network-HSPA??-lub interface technical requirement-Part 9: Specific OM setup and maintenance

YD/T 2507.2-2013 - 2GHz TD-SCDMA digital cellular mobile telecommunication network-HSPA+ -Iub interface technical requirement. Part 2: layer 1

YD/T 2507.1-2013 - 2GHz TD-SCDMA digital cellular mobile telecommunication network-HSPA?- lub interface technical requirement. Part 1: general aspects

6 Classification and status

International classification (ICS): 33.060.99

Chinese Standard Classification (CCS): M 36

Prefix YD/T: recommended standard.

Preview: page 3 of 3 shown, 27 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/yd-t-2516-2013