Chinastandards.org

YD

INDUSTRY STANDARD OF THE PEOPLE'S REPUBLIC OF CHINA

YD/T 3579-2019

Test method for LTE Diameter signaling network routing agent (DRA) equipment

LTE Diameter信令网路由代理（DRA）设备测试方法

(English Translation)

Issued on: November 11, 2019

Issued by: Ministry of Industry and Information Technology

Preview: page 1 of 4 shown, 15 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/yd-t-3579-2019

Chinastandards.org

Table of Contents

[Preview only]
1 Scope
2 Normative References
2.1 Term
3 Terms and Definitions
3.2 Abbreviations
3.3 Specifications
3.4 Product model and designation
3.5 Product marking
4 Product Classification
4.1 General
4.2 Model and name
4.3 Test Waveform
4.4 Product labelling
5 Requirements
5.2 Chemical components
5.3 SPD Disconnector Inspection
5.4 Environmental protection property
5.5 Material compatibility
5.6 Spurious emission
5.7 Transmit Spectrum Mask
5.8 Time of Rising Edge and Falling Edge
5.9 In-band Flatness
6 Test methods
6.2 Term restrictions
6.3 End-of-manufacturing inspection
6.4 Type inspection
6.5 Phone Program
6.6 OTASP/OTAPA Function
6.7 Processing of PIN
6.8 Fixed Dialing Number (FDN)
6.9 Abbreviated Dialing Number (ADN)

Preview: page 2 of 4 shown, 15 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/yd-t-3579-2019

7 Inspection Rules
7.1 Packaging
7.2 Marking
7.3 Transport
7.4 Storage
7.5 Safety Test for Temporary Overvoltage Failure
7.6 Test of Temporary Overvoltage Withstand Characteristic
7.7 SPD Thermal Stability Test
8 Marking, Packing, Transport and Storage
8.1 Voltage Drop Test
8.2 Surge Withstand Capability at Load side
8.3 Short-circuit Withstand Capability at Load Side
9 Environmental Applicability Test
9.1 Vibration Test
9.2 High Temperature Test
9.3 Low Temperature Test
9.4 Alternating Humid Heat Test
9.5 Performance requirements for radio resource management

1 Foreword

YD/T 3579-2019 was issued by Ministry of Industry and Information Technology on 11 November 2019.

The YD/T prefix marks a recommended standard. It is not law in itself: it becomes binding when a contract names it, when a regulation or a mandatory standard refers to it, or when a producer declares conformity with it.

The document runs to 15 pages in English translation.

2 Scope Preview

YD/T 3579-2019 carries no ICS number and no Chinese Standard Classification code.

This catalogue holds 6,667 other YD/T standards.

Of the 4,379 YD/T standards that do carry an ICS number, 3,421 (78%) fall under ICS 33, in the field of telecommunications.

Preview: page 3 of 4 shown, 15 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/yd-t-3579-2019

Chinastandards.org

3 About this standard

Sector: Telecommunication Industry Standard (Recommended)

Issued by: Ministry of Industry and Information Technology

English translation: about 15 pages (approximate)

4 Related standards

Standards on related subjects:

JB 2293-1978 - Wind tunnel test method of radiator of automobile and tractor

YD/T 6763-2026 - Test method of 5G industry virtual private network management platform

YD/T 6762-2026 - Technical requirements for 5G access network sub-slice management function (AN-NSSMF)

YD/T 6761-2026 - User experience index requirements of the solution for the voice services (VoNR) based on 5G NR

5 Classification and status

Prefix YD/T: recommended standard.

Preview: page 4 of 4 shown, 15 in the full document. Complete English PDF, instant download:
https://chinastandards.org/standards/yd-t-3579-2019